

Printed Pages: 3 CS – 603

(Following Paper ID and I	Roll No. to	be	fille	ed	in	you	ır /	Ansv	ver	Во	ok)
PAPER ID: 1037	Roll No.										

B. Tech.

(SEM. VI) EXAMINATION, 2006-07

COMPUTER GRAPHICS

Time: 3 Hours] [Total Marks: 100

1 Attempt any two:

 $2 \times 5 = 10$

- (a) Distinguish between Raster and Vector graphics methods. When do we prefer ? What?
- (b) Describe briefly Bresenham's circle drawing algorithm. Why do we prefer incremental algorithm over DDA?
- (c) How do we represent polygon using polygon table, edge table and vertex table explain with an example.
- 2 Attempt any two:

 $2 \times 5 = 10$

- (a) Distinguish between window port and viewport. In 2D clipping how are lines grouped into visible, invisible and partially visible categories?
- (b) Give a 3x3 homogeneous matrix to rotate the image clockwise by 90°. Then shift the image to the right by 10 units. Finally scale the image by twice as large. All these transformations are to be done one after another in sequence.

V-1037] 1 [Contd...

(c) What is a segment table. How do we create it? Why do we need segments? Explain in detail.

3 Attempt any two:

 $2 \times 5 = 10$

- (a) A cube is placed at the origin of 3D system. Such that all its vertices have positive coordinate values and sides are parallel to the three principal axes. Indicate a convenient position of a viewer at which he can see a 2-point perspective projection. Verify that such a view is generated.
- (b) Define vanishing points. Is the location of vanishing point directly related to the viewing point? Explain how?
- (c) What are the various logical graphic input primitives. What are the various input modes in which they work?

4 Attempt any two:

 $2 \times 5 = 10$

- (a) What is ray tracing algorithm for hidden surface removal? Explain mathematically how do we find which planes are visible using ray tracing algorithm.
- (b) What are the two spaces in which hidden surface algorithms work? How does sorting and coherence speed up calculation in such algorithms?
- (c) Given control points (10,100), (50,100), (70,120) and (100,150). Calculate coordinates of any four points lying on the corresponding Beizer curve.

V-1037] 2 [Contd...

5 Attempt any two:

 $2 \times 5 = 10$

- (a) Derive simple illumination model. Include the contribution of Diffuse, ambient and specular reflection.
- (b) How are periodic B-spline curves different from non-periodic B-spline curves?
- (c) Which clipping algorithm is best suited for hardware implementation? Give how this algorithm works.

V-1037] 3 [1160]