Total number of printed pages - 7 B. Tech
BCSE 3309/BCSE 3303

Fifth Semester Examination - 2008

ORGANIZATION / - I

Full Marks - 70

Time - 3 Hours

Answer Question No. 1 which is compulsory and any five from the rest.

The figures in the right-hand margin indicate marks.

Answer all questions :

2×10

(a) Write the basic difference between computer architecture and computer organization.

P.T.O.

- (b) What do you mean by instruction format ?
- (c) What is a BUS ? Explain I/O bus of a computer.
- (d) Increasing the number of addressing modes improve the flexibility in writing assembly language programs but reduces the performance. Justify.
- (e) What program features justifies the use of cache memory in a hierarchical memory system?
- (f) Explain the advantages and disadvantages of using microprogram and hardwired control unit.
- (g) Which register in CPU is responsible for sequencing the control of execution ?

Write its role when a branch instruction is encountered during execution.

- (h) Write the steps to retrieve a word from a memory location by the CPU.
- (i) Differentiate between page fault and cache miss.

How an interrupt service routine differs from subroutine used in high level language programs?

- 2. (a) Explain in brief the Von Neumann architecture with a neat sketch. 5
 - (b) Give the advantages and disadvantages of single-bus and multi-bus organization.

5

BCSE 3309/BCSE 3303

3

P.T.O.

BCSE 3309/BCSE 3303

Contd.

(a) Explain the different memory device charactersistics.

5

(b) Explain the following:

- (i) Locality of reference
- (ii) Thrashing
- (iii) Address mapping.
- 4. (a) Explain the difference between bus arbitration using daisy-chaining, polling and
 independent requesting, Explain with
 schematic diagram.

 5
 - (b) What do you mean by a cache hit, cache hit time and cache miss penalty? List and briefly explain the techniques used to improve each of this.

 5

5. (a) Justify the use of a hierarchical memory system?

(b) What do you understand by virtual memory? Distinguish between paging and segmenations.

(a) A CPU has 16 registers, an ALU with 16 logic and arithmetic functions and a shifter with 8 operations, all connected with a common bus system.

5

- (i) Formulate a control word to specify the various microoperations for the CPU.
- (ii) Specify the number of bits for each field and give a general encoding scheme for each.

BCSE 3309/BCSE 3303

P.T.O.

BCSE 3309/BCSE 3303

Contd.

- (iii) Show the bits of a control word that specify the microoperatin R7-R1+R14.
- (b) Design a 7-bit Combinational circuit incrementer for a microprogram sequencer.

7. (a) Write the Booth's Algorithm for multiplying two binary numbers in signed-2's complement representation. Give a flow chart scheme.

(b) Describe the addition and subtraction process of two decimal numbers in signed-magnitude representation. Suggest a scheme for hardware implementation.

5

5

BCSE 3309/BCSE 3303 6

Contd

- 8 Write notes on any two:
 - (a) 8-bit microprocessors
 - (b) Types of Instructions
 - (c) IEEE754s.

0.00

BCSE 3309/BCSE 3303

7

- C

5×2