ANATOMY—Paper II (INCLUDES HEAD AND NECK, BRAIN, ABDOMEN AND PELVIS)

| | I. MULTIPLE | CHOIC | CE QUESTIONS | |
|--|--|--------------|---|--|
| 1 | Note.—(1) Do not write anything on th | e questio | n paper. | |
| (2) Write your register number on the answer-sheet provided. | | | | |
| | (3) Select one most appropriate each question in the answer | • | and encircle the corresponding alphabet against ovided. | |
| 1. | . The epiglottis develops from : | | | |
| | (A) Lingual swellings. | | ^ | |
| | (B) Tuberculum impair. | | | |
| | (C) Cranial part of hypobranchial eminence. | | | |
| | (D) Candal part of hypobranchial eminence. | | | |
| 2. | . Inferior thyroid vein draws into : | | | |
| | (A) Brachocephalic. | (B) | Internal jugular. | |
| | (C) External jugular. | (D) | 7// 7 | |
| 3. | . The cranial nerve nuclei in the midbrain are all except: | | | |
| | (A) Oculomotor. | (B) | Trochlear. | |
| | (C) Trigeminal. | (D) | Abducent. | |
| 4. | Left suprarenal vein drains into: | | | |
| | (A) Inferior venacava. | (B) | Portal. | |
| | (C) Left phrenic. | (D) | Left renal. | |
| 5. | The nerve related to piriform recess: | | | |
| | (A) Glossopharyngeal. | (B) | Internal laryngeal. | |
| | (C) External laryngeal. | (D) | Pharyngeal plexus. | |
| 6. | The derivatives of mesonephric duct include the following except: | | | |
| | (A) Uterus. | (B) | Ureter. | |
| | (C) Trigone of bladder. | (D) | Epididymis. | |
| 7. | Motor spleech area is located at : | | | |
| | (A) Supramarginal gyrus. | (B) | Paracentral lobule. | |
| | (C) Uncus. | (D) | Posterior end of inferior frontal gyrus. | |
| 8. | Which one of the following ganglia relays fibres supplying dilator pupilae muscle? | | | |
| | (A) Superior cervical. | (B) | Middle cervical. | |
| | (C) Inferior cervical. | (D) | Ciliary. | |

)

K 5177

9. Duodenojejunal flexure is at the level of:

(A) L_1

- **(B)**
- (C) L₃. (D) T₁₂.
- 0. Accessory meningeal artery enters the cranium through:

.....

Foramen spinosum.

(B) Jugular foramen.

(C) Foramen ovale.

(D) Stylomastoid foramen.

 $(10 \times \frac{1}{2} = 5 \text{ marks})$

ANATOMY--Paper II (INCLUDES HEAD AND NECK, BRAIN, ABDOMEN AND PELVIS)

- II. State whether each of the alternatives given below is True (T) or False (F) in the answer-sheet:
 - 1 Pharyngotympanic lube:
 - (A) Develops from tubotympanic recess.
 - (B) Connects oropharynx with middle ear cavity.
 - (C) Has cartilagenous and long parts.
 - (D) Lined by respiratory epithelium.
 - 2 Scalenus anterior.
 - (A) Is attched to first rib.
 - (B) Is related anteriorly subclavean vein.
 - (C) Is related posteriorly subclavean artery.
 - (D) Forms the lateral boundary of triangle of vertebral artery.
 - 3 The falx cerebri:
 - (A) Is a double fold of endosteal layer of duramater.
 - (B) Is attached to tentorum cerebelli.
 - (C) Has a concave free border which contains straight sinus.
 - (D) Is attached to cristagali of frontal bone.
 - 4 The spermatic cord:
 - (A) Is surrounded by tunica vaginalis.
 - (B) Contains lymph vessels from scrolum.
 - (C) Has testicular vein.
 - (D) Contains lymph vessels from epididymics.
 - 5 The rectum:
 - (A) Is covered anteriorly by peritoneum along its whole length.
 - (B) Is supplied by terminal branches of inferior mesenteric artery.
 - (C) Has appendices epiploical.
 - (D) Has permanent transverse mucosal folds.

K 5177

(Pages: 2+2+1=5)

Reg. No.....

Name.....

FIRST PROFESSIONAL M.B.B.S. DEGREE EXAMINATION MARCH/APRIL 2005

ANATOMY-Paper II (INCLUDES HEAD AND NECK, BRAIN, ABDOMEN AND PELVIS)

(New Scheme)

Time: Three Hours

Maximum: 50 Marks

Answer Sections A and B in separate answer-books.

Draw diagrams wherever necessary.

Section A

I. Multiple Choice Questions.

Single response type-10 (separate sheet attached).

 $(10 \times \frac{1}{2} = 5 \text{ marks})$

II. Multiple Choice Questions.

Multiple response type-5 (separate sheet attached).

 $(5 \times 1 = 5 \text{ marks})$

III. Write short notes on:

- 1 Septum of nose.
- 2 Pouch of Douglas.
- 3 Circle of Willis.
- 4 Right suprarenal gland.
- 5 Inferior constrictor muscle of pharynx.

 $(5 \times 3 = 15 \text{ marks})$

Section B

- IV. A sixty year old man approched the doctor complaining a swelling in his right parotid region. During examination doctor noticed the swelling is very hard and there is a deviation of angle of his mouth to the left side. With your knowledge of anatomy answer the following questions:—
 - 1 What is the reason for the deviation of angle of his mouth?
 - 2 Name the structures with in the parotid gland.
 - 3 Describe the extracranial course and distribution of Facial nerve.

(1 + 2 + 7 = 10 marks)

V. Write briefly on :

Blood supply and lymphatic drainage of stomach.

(2 + 3 = 5 marks)

2

K 5177

- VI. Write short answers on:
 - 1 Dangerous area of scalp.
 - 2 Bare area of Liver.
 - 3 Ciliary ganglion.

 $(3 \times 2 = 6 \text{ marks})$

- VII. Draw a simple diagram of the following:-
 - 1 Transverse section of abdomen at the level of pylovus of stomach.
 - 2 Transverse section of midbrain fat the level of inferior colliculus.

 $(2 \times 2 = 4 \text{ marks})$

Click to download similar question papers from www.howtoexam.com just for free