Hall Ticket Number:

Department of Animal Sciences ENTRANCE EXAMINATION, June 2010

M.Sc Animal Biotechnology

Time: 2 hours

Maximum Marks: 100

INSTRUCTIONS: PLEASE READ BEFORE ANSWERING

- 1. Enter your hall ticket number on this sheet and the answer (OMR) sheet.
- 2. Answers have to be marked on the OMR answer sheet following the instructions provided there upon.
- 3. Hand over both the question paper booklet and OMR answer sheet at the end of the examination.
- 4. All questions carry one mark each. Answer all, or as many as you can.
- 5. <u>0.33 mark will be deducted for every wrong answer.</u>
- 6. There are total of 13 pages in this question paper excluding answer sheet. Answer sheet is attached separately. Check this before you start answering.
- 7. The question paper consists of part "A" and part "B". The marks obtained in part "A" will be taken into consideration in case of tie i.e., when more than one student gets equal marks, to prepare the merit list.

			PART "A		
1. N	inhydrin test is	s given by			
A)	Carbohydrates		B)	Proteins	
C)	Alkanes		D)	Alkenes	
2. W	/hich immunog	lobulin is the	principal on	e found in sec	retions such as milk?
A)			В)	IgA	
C)	IgD		D)	IgM	
3. N	on-proliferativ	e phase of cell	cycle is		
A)	G1> G0		B)	S	
C)	G1 ->G2		D)	M	

4. Leucosolenia is an example of which class of the phylum Porifera?

A) Hevactinellidae B) Demospongia
C) Calcipongiae D) Euspongia

5. 12 th	g of an alkaline earth metal give at metal is	s 14.	8 g of its nitride. Atomic weight of
A)	20	B)	12
C)	40	D)	14.8
6. W	hat form of nucleotide represents t	he m	ajor currency of a cell?
A)	Adenosine-5'-triphosphate	B)	3'-5'cyclic adenosine monophosphate
C)	2'-O-Methyl-adenosine monophosphate	D)	Adenosine-5'-diphosphate
	physiological pH, the carboxyl and following form	d am	ino groups in an amino acid are in
A)	-COO; -NH ₂	B)	-COOH; NH ₂
C)	-COOH; NH3 ⁺	D)	-COO; NH3 ⁺
8. WI	nich of the following animals repro	duce	asexually by fragmentation?
A)	Nematodes	B)	Sponges
C)	Planarians	D)	Echinoderms
9. Re	moval of the Bursa of Fabricius in a	a chic	k results in
A)	Decrease in the number of T lymphocytes	В)	Anemia
C)	Delayed-type hypersensitivity	D)	Low serum level of antibodies
10. V	hich of the following does not sec	rete s	teroid hormones?
A)	Ovary	В)	Pituitary
C)	Testis	D)	Corpus luteum
,		,	•
	he enzymes which use the energy obtained by the control of the con	of AT	P hydrolysis to move into and melt
A)	DNA ligase	B)	DNA helicase
C)	DNA primase	D)	DNA polymerase
	alcitonin is secreted by		
A)	Thyrotrophs	B)	Parafollicular C cells of thyroid
C)	β-cells of pancreas	D)	Follicular or principal cells of thyroid
13. T	he conversion of sugar C ₁₂ H ₂₂ O ₁₁ —	→ c	O ₂ is
A)	Oxidation	B)	Reduction
C)	oxidation and reduction	D)	Neutralization

14.	A mixture of red and blue ink ca	n be sep	arated by
A)		B)	Crystallization
C)	Chromatography	D)	Sublimation
15.	The tertiary structure of a prote	in refers	to the
A)	presence of alpha-helices or beta	-sheets	
B)	the sequence of amino acids		
C)	the unique three dimensional fold	ling of the	molecule.
D)	interactions of a protein with other	er sub-uni	ts or enzymes
16.	The "satiety factors" that regula	ate food	intake is
A)	Peptin	B)	Leptin
C)	Statin	D)	Pepsin
17. I	The atomic weight and atom respectively. The number of neu	nic numi	per of an element are A and Z the atom of that element is
	A	В)	Z Z
C)	Z+A	D)	A-Z
18.	Susceptibility to duodenal ulo	cers is	v increased by an infection of the
A)	Helicobacter pylori	В)	Escherichia coli
C)	Pseudomonas aeruginosa	D)	Staphylococcus aureus
19. (Cholecystokinin is secreted by		
A)	stomach	B)	Liver
C)	duodenum	D)	Colon
20. T	he plants which produce only p	ollen or c	ovules are called
A)	Dichogamous	В)	Monoecious
C)	Dioecious	D)	Monogamous
21. T	he molarity of a solution contain	nina 5.84	44 a of NaCl in 100 ml is
A)	0.01M	B)	1M
C)	0.1M	D)	10M
22. T	The ability to hum a tune or ref	call a be	autiful sunset in Kanyakumari is a
A)	Cerebellum	В)	Frontal lobe
C)	Temporal lobe	D)	Parietal lobe

3 .

	Which of the following terms of interaction between two b			efer to an example of a weak force elecules?
A)	Covalent		B)	Hydrophobic
(C)	Electrostatic		D)	Hydrogen
24. C	\mathfrak{O}_2 is mainly transported in t	he b	lood in	one of the following forms:
A)	Carbamino hemoglobin		B)	Carbamino plasma protein
C)	Dissolved CO ₂		D)	Bicarbonate
25. A	n enzyme acts by			
A)	decreasing the pH			(9)
B)	increasing the pH			
C)	reducing the energy of activat	ion		
D)	increasing the energy of active	ation		W.
		PA	RT "B	
26.	Coenzymes FMN and FAD a	re de	erived f	rom
A)	Vitamin C		B)	Vitamin B ₆
C)	Vitamin B ₁		D)	Vitamin B ₂
27. (Glucose is oxidized in the		01	f cells.
A)		lh.	B)	Mitochondria
C)	Chloroplast		D)	Ribosomes
28. 9	Shortage of acetylcholine in I	brain	is asso	ociated with
	Parkinson's disease	B)		imer's disease
C)		D)	Schiz	ophernia
29.	In animals, the nervous syste	em is	derive	d from
A)	ectoderm		B)	Mesoderm
C)	endoderm		D)	Mesoendoderm
30.	Regression of amphibian tail	is ur	der the	e influence of
A)			B)	Thyroxine
C)	androgens		D)	Insulin

31. All of the follow	wing are true with	h respect to Igl	E molecules,	except
-----------------------	--------------------	------------------	--------------	--------

- A) they are the principal immunoglobulin class involved in allergic reactions.
- B) they are involved in mediating anti-parasitic immune responses.
- C) they will cross the placenta and fix complement.
- D) they can stimulate the release of histamine.

32.	The	percentage	of ox	ygen ii	n NaOH	is
-----	-----	------------	-------	---------	--------	----

A) 40

B) 16

C) 8

D) 1

33. Which one of the following is an essential amino acid?

A) Alanine

B) Threonine

C) Aspartic acid

D) Glycine

34. The amino acid sequence of a peptide"Q-W-E-D" is

- A) Tryptophan-Glutamine-Glutamate-Aspartate
- B) Glutamine-Tryptophan-Aspartate-Glutamate
- C) Glutamine-Tryptophan-Glutamate-Aspartate
- D) Glutamate-Tryptophan-Glutamine-Aspartate

35. Biological oxidation in Kreb's cycle involves

A) N₂

B) CO₂

C) O₂

D) SO₂

36. Cyanide (CN) blocks the electron transport chain at

A) Cytochrome b

B) Cytochrome a+a3

C) Cytochrome c

D) Ubiquinone

37. The metal that can be extracted directly from sea water is

A) K

B) Mg

C) Zn

D) Ca

38. Which one of the following elements occurs free in nature?

A) Nitrogen

B) Phosphorous

C) Arsenic

D) Antimony

39. Fight or flight response is associated with

A) Catecholamines

B) Indoleamines

C) Opioid peptides

D) Acetylcholine

5

40.	When ΔG is negative, the reaction is	S	
A)	exothermic	B)	endothermic
C)	hypothermic	D)	ectothermic
	Which of the following states that no indefinitely when resources are limi		species can occupy the same niche
A)	Principle of resource limitation		
B)	Principle of species resourcing		
C)	Principle of competitive exclusion		
D)	Principle of competitive termination		
42.	The vector responsible for the trans	missi	on of <i>Kala-azar</i> is
A)	House fly	B)	Sand fly
C)	Mosquito	D)	Tsetse fly
43. ¹	The loss of an electron by a molecul	e is c	alled
A)	oxidation	B)	enthalpy
C)	reduction	D)	enduced fit
44.	White (fast-twitch) fibres differ fron	n red	(slow-twitch) fibres in having
A)			
B)			
C)			
D)			-
-,	1		·
45.	Unsaturated fatty acids is present a	bund	antly in
A)		B)	fish
C)	- 19	D)	egg
-,			
46.	Nitrous oxide, when inhaled in large	qua	ntities is fatal as it
	is a neurotoxin	В)	it binds to hemoglobin
C)		D)	it causes stroke
47.	T vector cloning for a PCR product r	equir	es
A)	Polynucleotide kinase	B)	Terminal transferase
C) Klenow DNA- proof reading polymerase	D)	Taq DNA polymerase
48.	Tay-Sachs disease has clinical impa	ct sol	lely on
A)	•	B)	liver
C)	•	D)	kidney
•		_	
		6	

	A A A A A A A A A A A A A A A A A A	JILEU	Uy
A)	ions	B)	hydration shells
C)	polar molecules	D)	non-polar molecules
50. V	Which of the following genotypes w f the alleles get assorted independ	ould entiv	produce largest variety of gametes
	aa BB Cc Dd	B)	Aa bb CC DD
C)	Aa Bb CC Dd	D)	
51. (Ca ²⁺ released in response to a stim	nulus	in the skeletal muscle binds to
A)		B)	tropomyosin
C)	actin	D)	Myosin
52. 1	The key enzyme involved in glucon	eoge	nesis is
A)	pyruvate dehydrogenase	B)	malate dehydrogenase
C)	phosphenolpyruvate carboxykinase	D)	hexokinase
53. T	he most serious and fatal form of a	nthr	ax is
	pulmonary anthrax	B)	gastrointestinal anthrax
C)	cutaneous anthrax	D)	ocular anthrax
	(),		
H	microbial culture started with 5 co ow many generations did the ce ccurred:	ells a lls g	nd reached to a density of 160 cells o through assuming no cell deati
A)		В)	6
C)	7	D)	8
55. V	Which DNA polymerase in eukaryo synthesis after the removal of RNA	otes i prim	is involved in "Okazaki fragments' ier?
A)	DNA polymerase α	B)	DNA polymerase ε
C)	DNA polymerase δ	D)	DNA polymerase β
56. V	Which of the following is considered	d to b	e a fibrous protein?
A)	Keratin	В)	Immunoglobulin
C)	Hemoglobulin	D)	Myoglobulin
57. W	here does endogenous fatty acid s	ynth	esis occur in humans?
A)	Lactating mammary gland	B)	Islets of Langerhans
C)	Adipose tissue	D)	Intestine

58.	The extra embryonic membrane embryo from shocks is	that	gives	protection	to	the	developing
A)	Yolk sac	B)	Allan	itois			
C)	Chorion	D)	Amn	ion			

- 59. Which one of the following statements is *correct* with reference to ovoviviparity?
 - A) Ovoviviparity is restricted to few terrestrial forms.
 - B) Ovoviviparity is a common phenomenon in amphibians only.
 - C) Ovoviviparity is restricted to few exotic mammalian species.
 - D) Ovoviviparity is seen in a variety of aquatic forms, reptiles and invertebrates.
- 60. Which cellular structure in animal cells contain high amount of cholesterol?
 - A) Cellular/plasma membrane

B) Lysosomes

C) Endoplasmic reticulum

D) Nuclear membrane

- 61. Adrenaline produced by adrenal medulia is a
 - A) fatty acid

B) amines

C) peptide

- D) steroid
- 62. Electron microscopes have greater resolving power than light microscopes because
 - A) the wavelength of electrons is much shorter than the wavelength of visible light
 - B) the wavelength of electrons is much longer than the wavelength of visible light
 - C) because the beams in electron microscopes overlap creating a clearer picture
 - D) electron microscopes have more lenses
- 63. In certain plants, the embryos in the seed may be produced asexually from the parent plant, which is known as
 - A) Monomixis

B) Polymixis

C) Holomixis

D) Apomixis

64. Athletes get muscle cramps due to

- A) accumulation of lactic acid
- B) sudden drop in myosin levels
- C) respiratory problem
- D) dehydration
- 65. The urea cycle occurs in the
 - A) mitochondria and cytoplasm
- B) mitochondria and lysosome
- c) endoplasmic reticulum and peroxisomes
- D) Golgi complex and mitochondria

· ·	spermatogenesis occurs in the		
Α) uriniriferous tubules	B)	epididymis
С) seminal vesicles	D)	
		,	and tabales
67.	Superphosphate used as a fertilize	er is:	
) Calcium phosphate	B)	Ammonium phosphate
C) Calcium dihydrogen phosphate	D)	Ammonium dihydrogen phosphate
68.	In the treatment of asthma, the ga	ases u	sed are a mixture of
A)	helium and oxygen	B)	neon and oxygen
C)	xenon and hydrogen	D)	argon and oxygen
	and substance left after 15 days if	nce is f the ir	5 days, what will be the amount of nitial amount is 64 grams?
A)	4 gram	B)	32 gram
C)	8 gram	D)	16 gram
70.	In humans, the "Barr Body" is an		
A)	active X chromosome in females	B)	active X chromosome in males
(C)	inactive Y chromosome in males	D)	inactive X chromosome in female
71.	Dry ice is		
A)	solid ice without any water	B)	solid sulphur dioxide
C)	solid carbon dioxide	D)	solid benzene
72. T	reatment of root tip meristem cell olchicine results in all of the follow	s with rinf <u>ex</u>	the microtubule inhibitor cept
A)	P/PW	B)	prevention of cytokinesis
C)	inhibition of mitotic spindle assembly	D)	cessation of DNA replication
73.	A silent mutation in a gene result	ts in	
A)	no change in the nucleotide sequence		NA encoded by the gene
B)	no change in the amino acid sequence	e of the	e protein
C)	no expression of the protein encoded		
D)	a shift in the translational reading fra		gene
	The descent of man" was the work	done	by
A)	Alfred Russel Wallace	B)	Charles Darwin
C)	Malthus	D)	Stephan Gould

/5. 1	Anchines having the same atomic in		ale kilowii as
A)	isomers	B)	isotopes
C)	isobars	D)	isotones
76. T	wo proteins of molecular masses o	f 120	kDa and 25 kDa can be easily
S	eparated by	•	
A)	size exclusion chromatography	B)	affinity chromatography
C)	ion exchange chromatography	D)	adsorption chromatography
77.	What process is used to convert solid or semisolid vegetable shorte	veget nings	able oils into margarine and others?
	Bromination	B)	Hydrolysis
C)	Catalytic hydrogenation	D)	Oxidation
78. (Compound tubular glands found in t	he du	odenum are known as
	Brunner's gland	В)	Bladin's gland
C)	Cowper's gland	D)	Ebner's gland
	an a suite in a milital and to	- alaci	M.
	90 g of water is equivalent to n	B)	45
	6.02 x 10 ²³	7.)	1 1 2
C)	5	D)	9 x 10 ²
80. F	Proteins synthesized by the rough E	R are	.)'
A)	for internal storage	B)	only cytoplasmic proteinss
C)		D)	exported from the cell
04	, , , , ,		
	Heavy water is	В)	D ₂ O
	H ₂ ¹⁸ O	•	water at 4°C
C)	water obtained by repeated distillation	U)	Water de 1 C
82.	The most reactive form of carbon is		•
A)	Diamond	B)	Graphite
C)	Coal	D)	Charcoal
83.	What is the caloric value of protein	meal	per gram?
	9	B)	4
C)		D)	5

84.	Cholesterol	that is pres	ent in th	e blood	serum is closely associated with
A)) hardening	of the arterie	es	В)	
C)	Diabetes			D)	•
25	In which of	Aha falla:	· · •		
•		t are fused	ng class o to form a	of Subph a plate-li	ylum Mandibulata, the head bears ke structure called gnathochilarium?
Α)	Crustacea			B)	Chilopoda
C)	Insecta			D)	Diplopoda
86.	Which has r	naximum m	olecules	;?	
A)	7g N ₂			В)	16g O ₂
C)	2g H ₂			D)	16g NO ₂
87. 1	The larvae o	f mosquito	are evan	nnio for	
A)		inosquito	aie exali		
C)		'n		B)	Neuston
C)	rryponeusto	11		D)	Epineuston
88. 9	Sulphuric aci	id cannot be	e used		
A)	As a pickling	g agent		В)	In lead storage batteries
C)	In white pai	nts		D)	In manufacture of dyes
89.	Which of the	following i	is having	stronge	st covalent bond?
A)	H-Cl	_	, 9	B)	CI—CI
C)	C-CI			D)	Na—Cl
90. V	Vhich of the	following c	ell comp	artment	is associated with a protein
	skeleton C	omposea or	lamins?	•	,
A)	Basement m	embrane		B)	Peroxisomes
C)	Nucleus			D)	Mitochondrion
91. V	Which of the	following a	mino aci	d does n	ot undergo phosphorylation?
A)	Serine			B)	Threonine
C)	Tyrosine			D)	Alanine
92. T	ransmembra he same hea	ane and sec vy chain ge	reted for	rms of in	nmunoglobulins are generated from
A)	rearrangeme	ent of DNA se	quences	B)	alternate splicing of mRNA transcript
C)	proteolytic polypeptide	cleavage	of the	•	post-translational modification of polypeptide

93. V	vnich of the following protein is n	ot a pa	art of the nucleosome?
A)	H1	B)	H2A
[[] C)	Н3	D)	H4
94. A	patient with Klinefelter's syndro	me wil	ll have the following chromosomes
A)	44 , XXX	B)	44, XXY
C)	45, XXY	D)	44, XYY
	Characteristics that have arisen as are said to be	s a res	ult of common evolutionary descent
A)	Analogous	B)	Homologous
C)	Hetererogamous	D)	Contiguous
96. L	ipopolysaccharide (LPS), a potent	induc	er of cytokine synthesis is
B)	endotoxin released by gram-negative bacteria endotoxin released by gram-positive bacteria exotoxin secreted by gram-negative bacteria exotoxin secreted by gram-positive bacteria		
			base composition of 23%A, 32% T, ng best describes the phenomenon?
A)	In viral genomes, the base pairing o	loes no	ot follow the standard Watson-Crick rule
B)	Nucleic acids from viruses are tightly complexed with nucleic acid-binding proteins and they cannot base-pair with one another.		
C)	C) The genome of bacteriophage ΦX174 is single-stranded		
D)	D) Viral genomes are linear and tolerate base-pair mismatches		
	second mutation in the same gesknown as	ne res	tores the wild type phenotype. This
A)	gene conversion	B)	epistasis
C)	intergenic complementation	D)	intragenic suppression
99. V	hen the alleles of a and a conforr	n to H	ardy-Weinberg expectations and if
ti	ne frequency of $m{a}$ is 0.3, which of	the fol	lowing will be the most common
	enotype in the population?		
A)		B)	aa
C)	AA	D)	Aa

100. While expressing an eukaryotic gene in bacteria, cDNA is used rather than genomic DNA, because

- A) it is easier to clone cDNA than genomic DNA
- B) cDNA is shorter in length
- C) most eukaryotic gene promoters do not function in bacteria
- D) most eukaryotic genes have introns that cannot be removed in bacteria

For rough work

A pose of the second of the se