(3 Hours)

[Total Marks : 75

- N.B. 1. Attempt any Five questions but not more than THREE from any section
- 2. Answers to the two sections to be written in separate answer books and and if sensed consums should be submitted separately like an available but at a like and a like a li
- 3 Figures to the right indicate full marks. Each question is of 15 marks
- 4. Use random numbers provided in printed sheet only (generally horizontally)
- 5. Use of nonprogrammable scientific calculator is allowed and the base Section I

Q1.

a) A large milling machine has three different bearings that fail in service. The distribution function of the life of each bearing is identical as shown in the table below. When a bearing fails, the mill stops, a repair person is called and a new bearing is installed. The delay time of the repairperson arriving at the milling machine is also a random variable with the distribution given in the table below. Downtime is estimated at Rs. 5/- minute. The direct onsite cost of the repairperson is Rs. 15/hour. It takes 20 minutes to change one bearing and 30 minutes to change two bearings and 40 minutes to change three bearings. The bearing cost Rs. 16/- each. A proposal has been made to replace all the three bearings whenever a bearing fails. Management needs an evaluation of this proposal

Bearing	Life time
Bearing Life	Probability
200	0.10
210	0.13
220	0.25
230	0.13
240	0.09
250	0.12
260	0.02
270	0.06
280	0.05
290	0.05

Delay d	istribution
Delay time	probability
5	0.6
10	0.3
15	0.1

Bearing1	Random number for life	67	08	49	84	44	30	10	63	02	77
	delay	2	3	1	7	8	1	2	8	3	8
Bearing1	Random number for life	70	43	86	93	81	44	19	51	45	12
	delay	0	7	3	-1	2	8	1	1	7	8
Bearing1	Random number for life	76	65	61	96	65	56	11	86	57	49
	delay	0	2	7	1	3	3	6.	3	a sil m	4

b) List at least 4 advantages and disadvantages of simulation.

cinge nine spent waiting for a roof crit

[TURN OVER

B. N. Bandodkar. College (07-09 Batch)

Q2. TENT LETON

a) Demand for the widgets follow the probability distribution as shown below. The stock is examined every 7 days (the plant is operational every 7 days). And if the stock level has reached 6 units or less an order for 10 widgets is placed. The lead time(days until delivery is probabilistic and follows the following distribution. When a simulation begins it is a beginning of the week, 12 widgets are on hand and no orders pending. Simulate 3 weeks of operations of this system. Analyze the system. Also calculate average closing inventory and average demand per cycle. Also determine the effect of shortages if increase or decrease in reorder quantity.

		п	Y	10
		. 0	5	
		V	1	
1	V	n		
(7	1	25	
7		3	2	
	7			

Daily demar	nd distribution
demand	probability
ab and 0 ballists	0.33
Pull of Implies	0.25
2	0.20
3	0.12
4	0.10

Lead time	distribution
Lead time	probability
antil saivin	0.3
2	0.5
3	0.2

Random	24	35	65	81	54	03
number for	87	27	73	70	47	45
demand	48	17	09	42	87	26
	36	40	07	A F DA	THE RELLEGIO	
Lead time	5	9	0	200	226	

el onidoeni grill ta botenitso el o

b) Consider a grocery store with one checkout counter that has to be simulated. The system consists of those customers in waiting line and the one at the checking counter. With respect to this scenario give the steps in the execution of the arrival and departure events. (Consider the required statistics).

JQ3.

(a) Given the following sequence of the numbers below. Can the hypothesis that the numbers are independent be rejected on the basic of the length of runs above and below the mean at

 $\alpha = 0.05$? (given $z_{0.025}=1.96$) 0.34 0.90 0.87 0.44 0.12 0.25 0.89 0.21 0.46 0.67 0.83 0.09 0.81 0.04 0.22 0.76 0.64 0.70 0.74 0.74 0.96 0.99 0.27 0.67 0.56 0.41 0.52 0.73 0.99 0.02

b) Write a short note on history of simulation.

OR

Q4.

- a) The inter-arival times as well as service times at a single chair unisex barber shop have been shown to be exponentially distributed. The value of λ and μ are 2 per hour and 3 per hour respectively. That is the time between arrival averages ½ hour exponentially distributed and the service time averages 20 minutes. Find the server utilization and the probability of 4 or more customers in the shop also find
 - i. Time average number of customers in the system
 - ii. Time average number of customer in the queue
 - iii. Average time a mechanic spends at a tool crib
 - iv. Average time spent waiting for a tool crib.
 - b) Explain the principle of generation of random variate with exponential distribution. Given $\lambda=2$. Generate at least 6 random variates.

0.30 0.48 0.36 0.01 0.54 0.34

05							
Q5	a) Ex	rolain briefly the four stages of steps in developing input simulation.	7				
	h)The	e life times of certain kinds of electronic device have a mean of 300 hours and a S.D of a	25				
	hours	. Assuming that the dist of these life times, which are measurable to the nearest hour ca	an				
	be ap	proximated closely with normal curve. i. Find the probability that any one of these electronic devices will have a life time.	ne				
		more than 350 hours.					
		ii. What percentage will have lifetimes of 300 hours or less?	1				
		iii. What percentage will have lifetimes from 220 or 260 hrs?					
		OR					
Q6		510					
(a) B	ased on Kolmogrov Smirnov method, determine whether the following sequence of 10					
	numb	pers is such that the hypothesis of uniformity can be accepted where $\alpha=0.05$. Also give a	8				
	proce	edure for the same. (Table value 0.24) 0.34 0.90 0.25 0.89 0.87 0.44 0.12 0.21 0.46 0.67					
		0.83 0.76 0.79 0.64 0.70 0.81 0.94 0.74 0.22 0.84					
50		0.99 0.17 0.23 0.19 0.82 0.93 0.65 0.37 0.39 0.42					
· V							
wo, b		lain in brief the techniques used to identify the family of distribution in input analysis	7				
1	while	e simulation modeling.	7				
		Section - II	7				
7	(a.	Discuss various reusability issues with respect to a C++ class library.	7				
) b.	Does exporting C++ member functions from a DLL solve the problem to	8				
	-	create a vendor independent component substrate? Why?					
		OR	7				
.8	a.	Write in detail about COM HRESULT type?	8				
	Ь.		0				
		methods?					
		will at the stime? Discuss the different activation models?	7				
9	200		8				
	b.	What is a Query-Interface? Explain its different properties in detail?	0				
	0	- 1: Chianta have static times?	7				
3	0 a.	Write a note on: a) Single Threaded Apartment and Multithreaded					
	b.	Apartment. b) Cross apartment access.					
		Apartment. 0) Cross apartment access.					
1	1 a.	What is JNI? Write a native Method for Reverse number and show its	7				
	1 4.	implementation?					
	b.	- it is it is the DED I been	8				
	U.	OR					
1	2 a.	CORDA OMA and OMC?	7				
1	b.		8				
	U.	Displant the source of the sou					