Name: ANKUSH DAS

Roll No. : 09109008018

Invigilator's Signature: Sehar m

CS/B.Tech/SEM-2/CH-201/2010 2010

ENGINEERING CHEMISTRY

Time Allotted: 3 Hours

Full Marks: 70

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

GROUP - A (Multiple Choice Type Questions)

1. Choose the correct alternatives for any ten of the following: $10 \times 1 = 10$

- i) In the process of melting ice at -15°C
 - a) $\Delta G < 0$

b) $\Delta G = 0$

c) $\Delta G \neq 0$

- d) $\Delta G > 0$.
- ii) One mole of an ideal gas expands isothermaly, until its volume is doubled. What is the change in Gibbs energy ΔG , for the process?
 - a) R ln 1/2

- b) R ln 2
- c) RT ln 1/2
- d) RT ln 2.

2201

[Turn over

- iii) If the enthalpy of reactant is less than that of protection then
 - a) the reaction is exothermic
 - b) heat is evolved
 - c) the reaction is endothermic
 - d) none of these.
- iv) The boiling point of p-nitrophenol is greater o-nitrophenol because of
 - a) ionic bonding
 - b) intermolecular H-bonding
 - c) van der Waals attractive forces
 - d) intramolecular H-bonding.
- v) The ligand that can act as a flexidentate ligand is
 - a) OH-
 - b) Ethylene diamine
 - c) NO₂
 - d) SO₄²-.

2201

	CS/B.Tech/SEM-2/CH-201/2010			
vi)	The electrons trapped in anion vacancies in metal			
	excess defects are known as			
	a)	valence electrons		
	b)/	F-centres		
	c)	mobile electrons		
	d)	trapped electrons.		
vii)	Which of the following has the least bond angle?			
	a)	NH ₃	b)	H ₂ O
	c)	CH ₄	d)	BeF 2.
viii)	The half-life period of a reaction is found to be directly			
	proportional to the intial concentration. The order of			
	reaction is			
*.	a)	zero	b)	one
	c)	two	d)	three.
ix)	A conducting polymer is			
	a)	Polyethylene	b)	Polypropylene
	c)	Polyaniline	d)	Bakelite.
x)	The highest ranking coal is			
	a)	Anthracite	b)	Bituminous
	c)	Lignite	d)	Peat.
l ,		3		[Turn over

ech/SEM-2/CH-201/2010

The material used in the solar cell contains

a) Cs by Si

c) Sn d) Ti.

An essential condition for a molecule to be IR active is

- molecule be polar a)
- bì molecule has an oscillating dipole moment
- molecule has a permanent dipole c)
- none of these. d)

GROUP - B

(Short Answer Type Questions)

Answer any three of the following. $3 \times 5 = 15$

Prove that for an adiabatic reversible process, $PV^{\gamma} = constant.$

Show that for an ideal gs $C_p - C_v = R$, where the notations have their usual significance.

lain octane number and cetane number with their ificanes.

te down the mathematical form of Lambert-Beer Law. e its significanes.

- Write down the structure and use of Nylon-66 and PVC. 5.
- 6. Show that Joule-Thompson effect is an enthalpic process. Explain the condition of heating and cooling.

GROUP - C

(Long Answer Type Questions)

Answer any three of the following. $3 \times 15 = 45$

- What do you understand by HTC & LTC of a coal? 7. a) Write down the usefulness of each process.
 - What are the important products formed from the b) atmospheric distillation of crude oil?
 - What is the importance of "functional group region" in c) IR Spectroscopy? What are the different absorption peaks possible for methanol & ethanol?
 - What are the differences between p-type and n-type d) 5 + 4 + 4 + 2semiconductors?
- Define condensation polymerization with suitable 8. al example.
 - Explain mathematically Weight Average Molecular b) Weight.
 - What are raw rubber and vulcanized rubber? c)
 - Explain Mesomeric Effect with example. 5 + 3 + 4 + 3

Turn over 5 2201

900-12001 80

- 9. a) What is anti-knocking compound? Discuss the function of TEL as anti-knocking agent. What is unleaded petrol? Write its significance.
 - b) Why does benzene undergo electrophilic substitution rather than addition reaction?
 - c) What is reference electrode? Explain the working principle of one reference electrode. 6+4+5

10. Explain why:

- a) Phenol is more easily nitrated than benzene.
- b) CdCl ₂ will induce Schottky defect if added to AgCl crystal.
- c) NH $_3$, H $_2$ O and CH $_4$ have $sp\ ^3$ hybridization but have different bond angles.
- d) Aqueous copper sulphate solution (blue colour) gives
 - i) a green precipitate with aqueous KF and
 - ii) bright green solution with aqueous KCI.

$$3 + 3 + 3 + (2 \times 3)$$

- 11. Write short notes on any three of the following: 3×5
 - a) Hyperconjugation
 - b) Proximate analysis of coal
 - c) Gibbs-Duhem equation for a two component system
 - d) Optical isomerism and linkage isomerism in coordination compound.
 - e) Bathochromic shift and hypsochromic shift
 - f) Hydrogen bonding and its effect on properties of compounds.

2201